

**RECEIVED**  
**CENTRAL FAX CENTER**  
**MAY 23 2008**

Continuation of

**REPLY TO OFFICE ACTION**

**In re Application of:**  
**ALONSO CUCURULL, Ricardo**

**APPLICATION NO. 10/558,443**

**RECEIVED**  
**CENTRAL FAX CENTER**  
**MAY 23 2008**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: )  
ALONSO CUCURULL, Ricardo )  
**Application No. 10/558,443** )  
U.S. National Phase of PCT/ES2004/000338 )  
International Filing Date: 11.28.2005 )  
Title: FOAM SPRING MATTRESS )

**REPLY TO OFFICE ACTION**

Mail Stop PCT  
Commissioner For Patents  
Examiner: Grosz, Alexander  
Art Unit:3673  
P.O.BOX 1450, Alexandria, VA 22313-1450 USA

22/May/2008

Dear Sirs:

Regarding the Office Action Mailed on January 24<sup>th</sup>, 2008, attached please find the following documentation:

- 1) Amendments and Remarks to the Office Action
- 2) Substitute Specification, including Amended Claims (Red Line Version)
- 3) Substitute Specification, including Amended Claims (Clean Version)
- 4) Amended drawings
- 5) Form PTO 2038
- 6) IDS + 3 patents

Respectfully submitted,

ALONSO CUCURULL, Ricardo

**BEST AVAILABLE COPY**

**RECEIVED**  
**CENTRAL FAX CENTER**  
**MAY 23 2008**

1

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Ricardo Alonso Cucurull

Application No: 10/558,443

Filed: 11/28/2005

For: FOAM SPRING MATTRESS

Examiner: Grosz, Alexander

Art Unit: 3673

Date: May 22, 2008

AMENDMENT

Mail Stop PCT

Attention: PCT Legal

Commissioner for Patents

PO Box 1450

Alexandria, VA 22313-1450

Sir:

In response to the Office Action mailed 01/24/2008, please amend the above-identified application as follows:

In the Specification:

As requested by the Examiner, applicant is submitting a substitute specification. Said substitute specification is the English translation of the PCT (already submitted to USPTO at the time of Entry into U.S. National Phase of the PCT application, and available at PAIR in USPTO website showing a stamp reading "10/558442, IAP16Rec'd PCT/PTO 28 NOV 2005), now amended to correct some errors in the translation from Spanish. Applicant is now submitting the substitute specification in two versions: a) a red-line version showing amendments (additions are underlined, deletions are bracketed), and; b) a clean version. Namely, amendments are essentially as follow:

- the word "spiral" is replaced with "turn" since the former is not a correct translation of the Spanish term "espira" (page/line 1/21-22, 2/25, 2/29, 4/18, 4/23, 4/28, 4/33, 5/7, 5/12, 5/34 and 6/2).

05/23/2008 PCHOMP 00000017 10558443

01 FC:2251

60.00 OP